

credentialsOnFile

The parameter group contains data of a recurring payment (Credentials on File).

- Parameters
- Server API Error Messages
- Examples

- [1 Parameters](#)
- [2 Server API Error Messages](#)
- [3 Examples](#)
 - [3.1 Server API](#)

Parameters

If a parameter in this list is marked as required, it means that this parameter is required in case you want to process a recurring payment. Otherwise, these parameters are not required for single payments. This use case will be set with the existing parameter "recurrence" and will be documented separately.

Parameter	Required	Comments
credentialsonfile_recurring_frequency	+	Specifies the number of days between authorizations FormatNUMERIC
credentialsonfile_recurring_start_date	-	Determines the date of the first authorization according to the recurring mandate FormatDATE(8), YYYYMMDD
credentialsonfile_recurring_expiry_date	+	Date after which no further authorizations should be processed. FormatDATE(8), YYYYMMDD
initial_payment	+	Indicates whether a card transaction with stored data is the first transaction in a series or a subsequent transaction FormatLISTPermitted Valuestrue false

Server API Error Messages

No.	Signification
2550	Parameter {credentialsonfile_recurring_frequency} incorrect or missing
2551	Parameter {credentialsonfile_recurring_start_date} incorrect
2552	Parameter {credentialsonfile_recurring_expiry_date} incorrect or missing
2553	Parameter {initial_payment} incorrect or missing

Examples

Server API

```
credentialsonfile_recurring_frequency=30  
credentialsonfile_recurring_start_date=20200101  
credentialsonfile_recurring_expiry_date=20210101  
initial_payment=false
```